Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.12.2024 Version number 1 Report No.: ELE2412C24243

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: Soda Orange 20mg**

· **Flavour:** Soda Orange
· **Nicotine Conc.:** 20mg/mL
· **UFI:** 901A-YA8G-PV1J-Q2AA
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Application of the substance / the mixture** E-liquid used in E-cigarette

· **1.3 Details of the supplier of the safety data sheet**
Manufacturer/Supplier:
SHENZHEN YUNQIU TRADE TECHNOLOGY CO.,LTD
NO.106, BUILDING D, JUJI U VALLEY INTELLIGENT MANUFACTURING INNOVATION PARK,
SHAJING STREET, BAOAN DISTRICT, SHENZHEN, GUANGDONG, CHINA
Contact: Cao Yufeng
Tel: 18875608641
Email: 1072161579@QQ.com
Only Representative/ other EU contact point:
GVG PRO
2 route de l'ouest 94390 BONNEUIL SUR MARNE, FRANCE
Tel: 33 (0) 1 80 91 50 70
Email: francochine.direction@gmail.com

· **Further information obtainable from:** SHENZHEN YUNQIU TRADE TECHNOLOGY CO.,LTD
· **1.4 Emergency telephone number:** 18875608641

*

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**

GHS06 skull and crossbones

Acute Tox. 3	H301 Toxic if swallowed.

GHS07

Acute Tox. 4	H312 Harmful in contact with skin.
Acute Tox. 4	H332 Harmful if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labeled according to the CLP regulation.
· **Hazard pictograms**

GHS06

(Contd. on page 2)

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labelling:**
Nicotine benzoate
(R)-p-mentha-1,8-diene
2-Isopropyl-N,2,3-trimethylbutanamide
Citral

· **Hazard statements**
H301 Toxic if swallowed.
H312+H332 Harmful in contact with skin or if inhaled.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see on this label).
P330 Rinse mouth.
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

* **SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 56-81-5	Glycerol substance with a Community workplace exposure limit	50.0%
CAS: 57-55-6	Propylene glycol substance with a Community workplace exposure limit	38.84%
CAS: 5989-27-5 EINECS: 227-813-5	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	3.04%
CAS: 88660-53-1	Nicotine benzoate Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Chronic 2, H411 ATE: LD50 oral: 5 mg/kg LD50 dermal: 50 mg/kg LC50/4 h inhalative: 0.05 mg/l	2.95%
CAS: 51115-67-4	2-Isopropyl-N,2,3-trimethylbutanamide Acute Tox. 4, H302	1.68%
CAS: 123-35-3 EINECS: 204-622-5	Myrcene Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.15%

(Contd. on page 3)

(Contd. of page 2)

CAS: 5392-40-5 EINECS: 226-394-6	Citral Skin Irrit. 2, H315; Skin Sens. 1, H317	0.14%
CAS: 141-78-6	Ethyl acetate Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	0.01%

· **Non-hazardous components**

CAS: 77-93-0 EINECS: 201-070-7	Triethyl citrate	1.39%
CAS: 527-84-4 EINECS: 202-796-7	o-Cymene	0.58%
CAS: 39711-79-0 EINECS: 254-599-0	N-Ethyl-2-isopropyl-5-methylcyclohexane carboxamide Aquatic Chronic 3, H412	0.42%
CAS: 105-54-4	Ethyl butyrate Flam. Liq. 3, H226; Eye Irrit. 2, H319	0.33%
CAS: 470-67-7 EINECS: 207-428-9	1,4-Cineole Flam. Liq. 3, H226	0.31%
CAS: 141-12-8 EINECS: 205-459-2	Neryl acetate Skin Sens. 1B, H317	0.04%
CAS: 7785-70-8 EINECS: 232-087-8	d-.alpha.-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	0.04%
CAS: 121-33-5 EINECS: 204-465-2	Vanillin Eye Irrit. 2, H319	0.03%
CAS: 7452-79-1	Ethyl 2-methylbutyrate Flam. Liq. 3, H226	0.03%
CAS: 106-33-2 EINECS: 203-386-0	Ethyl laurate	0.01%
CAS: 4630-07-3 EINECS: 225-047-6	Valencene Asp. Tox. 1, H304	0.01%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

*

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
In case of irregular breathing or respiratory arrest provide artificial respiration.
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** Do not induce vomiting; call for medical help immediately.
· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

* **SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
· **5.3 Advice for firefighters**
Mouth respiratory protective device.
Wear fully protective suit.
· **Protective equipment:** Mouth respiratory protective device.

* **SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Avoid contact with eyes.
Avoid contact with skin.
· **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* **SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** Store in a cool location.
· **Information about storage in one common storage facility:** Store away from foodstuffs.
· **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
· **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 5)

(Contd. of page 4)

* **SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol	
VL (Belgium)	Long-term value: 10 mg/m³ (brouillard)
GVI (Croatia)	Long-term value: 10 mg/m³
NPK (Czechia)	Short-term value: 15 mg/m³, 3.9 ppm Long-term value: 10 mg/m³, 2.6 ppm
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y
VLEP (France)	Long-term value: 10 mg/m³
WEL (Great Britain)	Long-term value: 10 mg/m³
TWA (Italy)	Long-term value: (10) mg/m³
57-55-6 Propylene glycol	
GVI (Croatia)	Long-term value: 474* 10** mg/m³, 150* ppm *Ukopne Pare i Čestice; **Čestice
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates
5989-27-5 (R)-p-mentha-1,8-diene	
AGW (Germany)	Long-term value: 28 mg/m³, 5 ppm 4(II);DFG, H, Sh, Y
5392-40-5 Citral	
VL (Belgium)	Long-term value: 32 mg/m³, 5 ppm D;vapeur et aérosol
TWA (Italy)	Long-term value: 31 mg/m³, 5 ppm Cute, A4, sen (i, h)
141-78-6 Ethyl acetate	
IOELV (EU)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm
VL (Belgium)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm
GVI (Croatia)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm
NPK (Czechia)	Short-term value: 900 mg/m³, 245.7 ppm Long-term value: 700 mg/m³, 191.1 ppm I
AGW (Germany)	Long-term value: 730 mg/m³, 200 ppm 2(I);DFG, EU, Y
VLEP (France)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm
WEL (Great Britain)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm

(Contd. on page 6)

(Contd. of page 5)

TWA (Italy)	Long-term value: 1441 mg/m³, 400 ppm
VL (Italy)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
· **Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection**

Tightly sealed goggles

Goggles recommended during refilling
· **Body protection:**
· **Other**
If this product contains ingredients with exposure limits, personal, workplace, or biological monitoring may be required to determine the effectiveness of ventilation or other control measures and/or the need to use respirators. Reference should be made to European Standard EN 689 for methods of assessing exposure to chemicals through inhalation and to national guides for methods of determining hazardous substances.

(Contd. on page 7)

(Contd. of page 6)

* **SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Fluid
· **Colour:**	Yellow
· **Odour:**	Characteristic
· **Odour threshold:**	Data not available.
· **Melting point/freezing point:**	Data not available.
· **Boiling point or initial boiling point and boiling range**	Data not available.
· **Flammability**	Data not available.
· **Lower and upper explosion limit**	
· **Lower:**	Data not available.
· **Upper:**	Data not available.
· **Flash point:**	Data not available.
· **Decomposition temperature:**	Data not available.
· **pH at 20°C**	6
· **Viscosity:**	
· **Kinematic viscosity**	Data not available.
· **Dynamic:**	Data not available.
· **Solubility**	
· **water:**	Data not available.
· **Partition coefficient n-octanol/water (log value)**	Data not available.
· **Vapour pressure:**	Data not available.
· **Density and/or relative density**	
· **Density at 20°C:**	1.108 g/cm³
· **Relative density**	Data not available.
· **Vapour density**	Data not available.
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Data not available.
· **Change in condition**	
· **Evaporation rate**	Data not available.
· **Information with regard to physical hazard classes**	
· **Explosives**	Data not available.
· **Flammable gases**	Data not available.
· **Aerosols**	Data not available.
· **Oxidising gases**	Data not available.
· **Gases under pressure**	Data not available.
· **Flammable liquids**	Data not available.
· **Flammable solids**	Data not available.
· **Self-reactive substances and mixtures**	Data not available.
· **Pyrophoric liquids**	Data not available.
· **Pyrophoric solids**	Data not available.
· **Self-heating substances and mixtures**	Data not available.
· **Substances and mixtures, which emit flammable gases in contact with water**	Data not available.

(Contd. on page 8)

(Contd. of page 7)

· **Oxidising liquids**	Data not available.
· **Oxidising solids**	Data not available.
· **Organic peroxides**	Data not available.
· **Corrosive to metals**	Data not available.
· **Desensitised explosives**	Data not available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

*

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity**
Toxic if swallowed.
Harmful in contact with skin or if inhaled.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)		
Oral	LD50	169 mg/kg
Dermal	LD50	1,695 mg/kg (ATE)
Inhalative	LC50/4 h	1.69 mg/l (ATE)

56-81-5 Glycerol		
Oral	LD50	12,600 mg/kg (rat)

57-55-6 Propylene glycol		
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)

5989-27-5 (R)-p-mentha-1,8-diene		
Oral	LD50	4,400 mg/kg (rat)

88660-53-1 Nicotine benzoate		
Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	50 mg/kg (ATE)
Inhalative	LC50/4 h	0.05 mg/l (ATE)

51115-67-4 2-Isopropyl-N,2,3-trimethylbutanamide		
Oral	LD50	500 mg/kg (ATE)

5392-40-5 Citral		
Oral	LD50	4,960 mg/kg (rat)

141-78-6 Ethyl acetate		
Oral	LD50	5,620 mg/kg (rabbit)
Inhalative	LC50/4 h	1,600 mg/l (rat)

(Contd. on page 9)

(Contd. of page 8)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
· **Respiratory or skin sensitisation** May cause an allergic skin reaction.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

*

SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Remark:** Harmful to fish
· **Additional ecological information:**
· **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms

*

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**	
HP6	Acute Toxicity
HP14	Ecotoxic

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)

(Contd. of page 9)

* **SECTION 14: Transport information**

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	UN3144
· **14.2 UN proper shipping name**	
· **ADR**	3144 NICOTINE COMPOUND, LIQUID, N.O.S. (Nicotine benzoate)
· **IMDG**	NICOTINE COMPOUND, LIQUID, N.O.S. (Nicotine benzoate)
· **IATA**	Nicotine compound, liquid, n.o.s. (Nicotine benzoate)
· **14.3 Transport hazard class(es)**	
· **ADR**	
· **Class**	6.1 (T1) Toxic substances.
· **Label**	6.1
· **IMDG, IATA**	
· **Class**	6.1 Toxic substances.
· **Label**	6.1
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	II
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Warning: Toxic substances.
· **Hazard identification number (Kemler code):**	60
· **EMS Number:**	F-A,S-A
· **Stowage Category**	B
· **Stowage Code**	SW2 Clear of living quarters.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	100 ml
· **Excepted quantities (EQ)**	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	D/E
· **IMDG**	
· **Limited quantities (LQ)**	100 ml

(Contd. on page 11)

(Contd. of page 10)

· **Excepted quantities (EQ)**	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· **UN "Model Regulation":**	UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S. (NICOTINE BENZOATE), 6.1, II

*

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.
· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients is listed.
· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.
· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**
· **Substances of very high concern (SVHC) according to REACH, Article 57** None of the ingredients is listed.
· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

In addition, transport information of Section 14 in the report was calculated theoretically, while the results are not always consistent with Certification for Safe Transport of Chemical Goods from the officially authorized agencies. Please consult the officially authorized agencies for the accurate transport information.

(Contd. on page 12)

(Contd. of page 11)

· **Relevant phrases**

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H300 Fatal if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Acute toxicity - oral Acute toxicity - dermal Acute toxicity - inhalation Skin sensitisation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Organization issuing SDS:**

Shenzhen Element Testing Co., Ltd.
101 of Plant 4, & 401 of Plant 2, No.76, Longling North Road, Pingxi, Pingdi Subdistrict, Longgang District, Shenzhen, Guangdong, China/518117

· **Contact:**

Noel Yin
Email: info@element-testing.com

· **Date of previous version:** 09.12.2024

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 1: Acute toxicity – Category 1
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 13)

Trade name: Soda Orange 20mg

(Contd. of page 12)

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **** Data compared to the previous version altered.***